



PATENT ABSTRACTS OF JAPAN

(11)Publication number : **2001-209212**

(43)Date of publication of application : **03.08.2001**

(51)Int.Cl.

G03G 9/087

G03G 9/08

G03G 9/097

(21)Application number : **2000-016819** (71)Applicant : **MITSUBISHI CHEMICALS
CORP**

(22)Date of filing : **26.01.2000** (72)Inventor : **AKAI HIDEKO
ISHIKAWA TOMOKO
KOIZUMI KATSUO
ANDO OSAMU**

(54) ELECTROSTATIC CHARGE IMAGE DEVELOPING TONER, AND METHOD OF PRODUCING THE SAME

(57)Abstract:

PROBLEM TO BE SOLVED: To provide an electrostatic charge image developing toner excellent in low temperature fixability and stability of its charged state, excellent also in fixability, anti-offsetting properties and blocking resistance and imparting good transparency to OHP sheets, and a method for producing the toner.

SOLUTION: In the method for producing the electrostatic charge image developing toner, aggregated particles are formed in a dispersion prepared by dispersing at least resin particles, the aggregated particles are fused by heating to a temperature higher than the glass transition temperature (T_g) of the constituent resin by 20-80°C to form toner particles and fine resin particles are further stuck to the surfaces of the toner particles to form an encapsulated toner.

LEGAL STATUS

[Date of request for examination] 27.08.2003

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number] 3724309

[Date of registration] 30.09.2005

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

[Date of extinction of right]